



1A-1753

PATENT
03141-P0380A WWW/DC

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

| | |
|----------------------------|--|
| Applicants | Otto J. Prohaska, <i>et al.</i> |
| Application No. 10/029,659 | Filing Date: October 22, 2001 |
| Title of Application: | Electrochemical Sensor With Dry Ionomer Membrane |
| Confirmation No. 4969 | Art Unit: 1753 |
| Examiner | Kaj K. Olsen |

Mail Stop Amendment
Commissioner for Patents
Post Office Box 1450
Alexandria, VA 22313-1450

db not
enter
KTE

Response to Official Action

In response to the Official Action of August 30, 2005, Applicants herewith pre-
sent its amendment and remarks. Please amend claims as detailed below. Applicants
believe that entry of this Response is proper as it places the application in condition for
allowance and makes no substantive amendments to the claims. Applicants do not be-
lieve any fee is owed. However, in the event there is an outstanding fee, Applicants
authorize the Examiner to charge account number 19-4516.

10-24-05

Mailing Certificate: I hereby certify that this correspondence is today being deposited with the
U.S. Postal Service as *First Class Mail* in an envelope addressed to: Commissioner for Patents
and Trademarks; Post Office Box 1450; Alexandria, VA 22313-1450.

October 14, 2005


Jadira N. De La Torre